L Number	Hits	Search Text	DB	Time stamp
1	5049	(382/209 or 345/157 or 345/158 or 345/159 or 345/160 or 345/161 or	USPAT;	2004/09/20 16:03
		345/162 or 345/163 or 345/167 or 345/856 or 345/857 or 345/858 or	US-PGPUB;	
		345/179 or 345/863).ccls.	EPO,	
			DERWENT;	
			IBM_TDB	
2	158	((cursor or pointer) near5 ((correct\$6 or shift\$4 or adjust\$6 or relocat\$5)	USPAT;	2004/09/20 16:04
Ž.	130	near2 (position or coordinat\$6 or placement))) same (template or	US-PGPUB;	2004/03/20 10:04
		reference)		
		( cicleide)	EPO;	
			DERWENT;	
		(/200 /200	IBM_TDB	
3	11	((382/209 or 345/157 or 345/158 or 345/159 or 345/160 or 345/161 or	USPAT;	2004/09/20 16:05
		345/162 or 345/163 or 345/167 or 345/856 or 345/857 or 345/858 or	US-PGPUB;	
		345/179 or 345/863).ccls.) and (((cursor or pointer) near5 ((correct\$6 or	EPO;	
		shift\$4 or adjust\$6 or relocat\$5) near2 (position or coordinat\$6 or	DERWENT;	
		placement))) same (template or reference))	IBM_TDB	
-	0	345/339.CCLS.	USPAT;	2002/10/29 16:41
			US-PGPUB;	
			IBM TDB	
_	391	345/856.CCLS.	USPAT;	2002/10/29 16:42
	391	0.15,050.00 <u>D</u> 0,	-	2002/10/29 10:42
			US-PGPUB;	
	4.0	245,055,001.0	IBM_TDB	
-	46	345/857.CCLS.	USPAT;	2002/10/29 16:42
			US-PGPUB;	
			IBM_TDB	
-	748	(compar\$5 with image) same (coordinate) same (point\$3)	USPAT;	2002/10/29 17:00
			US-PGPUB;	
			IBM_TDB	
-	240	((compar\$5 with image) same (coordinate) same (point\$3)) same	USPAT;	2002/10/29 17:02
		(template or reference)	US-PGPUB;	2002/10/25 17:02
		(template of reference)	IBM_TDB	
_	21	(((compar\$5 with image) same (coordinate) same (point\$3)) same		2002/10/20 17:02
_	21	((compare) same (condition)) same (template or reference)) and 345/\$.CCLS.	USPAT;	2002/10/29 17:02
		(template of reference)) and 343/3.00LS.	US-PGPUB;	
	_		IBM_TDB	
-	2	(compar\$5 with (image or icon or display) with template) same (vicinity	USPAT;	2002/10/29 17:29
		with (cursor or point\$3))	US-PGPUB;	
			IBM_TDB	
-	1	6009194.pn.	USPAT;	2002/10/29 17:41
			US-PGPUB;	
			IBM_TDB	
-	852	((image or icon or display) with template) same (point\$3 or cursor)	USPAT;	2002/10/29 17:43
		(F	US-PGPUB;	
			IBM_TDB	
_	363	(((image or icon or display) with template) same (point\$3 or cursor))	USPAT;	2002/10/29 17:45
	303	same (position or coordinate)		2002/10/29 17:43
		same (position or coordinate)	US-PGPUB;	
	40	William and the last to the state of the sta	IBM_TDB	
-	48	((((image or icon or display) with template) same (point\$3 or cursor))	USPAT;	2002/10/29 17:45
		same (position or coordinate)) and 345/\$.CCLS.	US-PGPUB;	
			IBM_TDB	
-	78919	(PDA or (personal digital assistant)) same (cursor or point\$ or pen)	USPAT;	2002/10/29 18:12
			US-PGPUB;	
			IBM_TDB	
_	78940	(PDA or (personal digital assistant)) same (cursor or point\$4 or pen)	USPAT;	2002/10/29 18:16
	. 02.0	(cursor or pomice ) or point	US-PGPUB;	2002/10/27 10:10
	l			
	COOF	((DDA on (nonneural digital agriculture))	IBM_TDB	2002/10/20 10:5
-	6005	((PDA or (personal digital assistant)) same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:18
1		and 345/\$.CCLS.	US-PGPUB;	
		_	IBM_TDB	
-	7	(((PDA or (personal digital assistant)) same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:16
1		and 345/\$.CCLS.) and (compar\$3 with (image or icon or display) with	US-PGPUB;	
1	1	( the first ( the first ) that ( the first )		

-	1344	(PDA or "personal digital assistant") same (cursor or point\$4 or pen)	USPAT; US-PGPUB;	2002/10/29 18:17
			IBM_TDB	
-	220	((PDA or "personal digital assistant") same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:19
		and 345/\$.CCLS.	US-PGPUB;	
			IBM_TDB	
-	62	((PDA or "personal digital assistant") same (cursor or point\$4 or pen))	USPAT;	2002/10/29 18:22
		and (345/856 or 345/857 or 345/858 or 345/157 or 345/159 or 345/159	US-PGPUB;	
		or 345/160 or 345/173 or 345/169).CCLS.	IBM_TDB	
*	180		USPAT;	2002/10/29 18:26
		PDA or "personal digital assistant")	US-PGPUB;	
1			IBM TDB	
-	180	((cursor or point\$4 or pen) with accurat\$4) same (portable or handheld	USPAT;	2002/10/29 18:42
		or PDA or "personal digital assistant")	US-PGPUB;	
		, as a second processor we grown we seem of	IBM_TDB	
_	36	((accura\$5 or precis\$3) with (point\$3 or click\$3)) same (handheld or	USPAT;	2002/10/29 18:54
		PDA or "personal digial assistant")	US-PGPUB;	2002/10/25 18.54
		personal digital dissistant )	IBM_TDB	
_	619	345/179.CCLS.	USPAT;	2002/10/29 19:13
	017	343/177.00Ed.	US-PGPUB;	2002/10/29 19.13
			IBM TDB	
_	34591	palm		2002/10/20 10:14
_	34371	Patiti	USPAT;	2002/10/29 19:14
			US-PGPUB;	
	94	palm as.	IBM_TDB	2002/10/20 10:14
-	34	panit.as.	USPAT;	2002/10/29 19:14
			US-PGPUB;	
	10331	(compares or matches) with ((image on icon on display) with (town-late	IBM_TDB	2002/10/20 11:20
-	10331	(compar\$5 or match\$3) with ((image or icon or display) with (template	USPAT;	2002/10/30 11:30
		or reference))	US-PGPUB;	
	135	((compares or motabes) with ((image or icon or display) with (town-1-t-	IBM_TDB	2002/10/20 11 22
_	133	((compar\$5 or match\$3) with ((image or icon or display) with (template	USPAT;	2002/10/30 11:33
		or reference))) same ((pointing adj device) or cursor or mouse or	US-PGPUB;	
	5.6	click\$3)	IBM_TDB	2002/10/20 11 24
-	56	(((compar\$5 or match\$3) with ((image or icon or display) with (template	USPAT;	2002/10/30 11:34
		or reference))) same ((pointing adj device) or cursor or mouse or	US-PGPUB;	
	1	click\$3)) same (position or coordinat\$5) 5404458.pn.	IBM_TDB	2002/10/20 11:45
-	1	3404436.pii.	USPAT;	2002/10/30 11:45
			US-PGPUB;	
_	13	("4334266"   "4409836"   "4587630"   "4760386"   "4886941"	IBM_TDB	2002/10/20 11.40
-	13	(4334200   4409630   4387030   4700380   4880941     "4899138"   "4903012"   "5025411"   "5027109"   "5157384"	USPAT	2002/10/30 11:49
		"5179368"   "5187467"   "5189403").PN.		
1_	1	5786810.pn.	USPAT;	2002/10/20 11:55
-	1	5700010.pit.		2002/10/30 11:55
			US-PGPUB; IBM_TDB	
l _	4	("4464655"   "4523188"   "4698626"   "4710758").PN.	USPAT	2002/11/04 00:57
11	26	(#464635   4323188   4698626   4710738").PN.   ("3668654"   "3873770"   "3875331"   "3995269"   "3997891"	USPAT	2002/11/04 09:57
-	20	"4009338"   "4267443"   "4286289"   "4295135"   "4305135"	USFAI	2002/11/04 10:09
		"4317005"   "4346376"   "4384201"   "4386232"   "4386346"		
		"4380711"   "4306077"   "4384201"   "4380232"   "4380340	,	
		"4389711"   "4396977"   "4413314"   "4424572"   "4432360"	•	
		"4442317"   "4444998"   "4476463"   "4514688"   "4553091"		
}	1100	"4577057").PN. 345/156.CCLS.	LICDAT	2002/11/04:02:
-	1188	199/130.CCL3.	USPAT;	2002/11/04 10:20
			US-PGPUB;	
	11	245/156 OCT 8 and (((image) 12 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IBM_TDB	2002/11/04/10 = 1
-	11	345/156.CCLS. and (((image or icon or display) with template) same	USPAT;	2002/11/04 10:29
		(correct\$3 or match\$3 or extract\$3))	US-PGPUB;	
	125	245/156 001 9 176/	IBM_TDB	
-	135	345/156.CCLS. and ((image or display) same (position\$3 or	USPAT;	2002/11/04 10:32
		coordinat\$3) same (correct\$3 or match\$3))	US-PGPUB;	
			IBM_TDB	

-	125	(image or display) same ("hot spot" or hotspot) same (template or reference or database or storage)	USPAT; US-PGPUB;	2002/11/04 15:39
		5,	IBM TDB	
-	11	("4941111"   "5041992"   "5226109"   "5287448"   "5307457"   "5317680"   "5371514"   "5448688"   "5526020"   "5588093"   "5590262").PN.	USPAT	2002/11/04 15:17
-	129	(image or display) same ("hot spot" or hotspot or "hit detection") same (template or reference or database or storage)	USPAT; US-PGPUB; IBM TDB	2002/11/04 15:40
-	4	((image or display) same ("hot spot" or hotspot or "hit detection") same (template or reference or database or storage)) and ("hit detection")	USPAT; US-PGPUB; IBM_TDB	2002/11/04 15:40
-	1	5,448,688.pn.	USPAT; US-PGPUB; IBM TDB	2002/11/04 17:02
-	44701	(cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)	USPAT; US-PGPUB;	2003/04/06 16:20
-	1	((382/209 or 345/157 or 345/158 or 345/159 or 345/160 or 345/161 or 345/162 or 345/163 or 345/167 or 345/856 or 345/857 or 345/858 or 345/179 or 345/863).ccls. ) same ((correct\$3 or adjust\$3 or chang\$ or	EPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/06 16:21
-	2907	alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3)) ((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/06 15:48
-	44	coordinat\$3))  (((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO;	2003/04/06 15:49
	1	or spot or coordinat\$3))) same (resolution)  (((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3))	DERWENT; IBM_TDB USPAT;	2003/04/06 16:05
		same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) same ("personal digital assistant" or PDA)	US-PGPUB; EPO; DERWENT; IBM_TDB	
_	25	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) same ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point	USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:20
-	1541	or spot or coordinat\$3))) same ((template or reference or model) near3 image) ((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$ or alter\$3 or shift\$3 or allocat\$3 or	IBM_TDB USPAT; US-PGPUB;	2003/04/06 16:27
		reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	EPO; DERWENT; IBM_TDB	
-	1630	((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:29
-	0	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or reallocat\$3 or modif\$7) near5 (position or location or point or spot or	USPAT; US-PGPUB; EPO;	2003/04/06 16:29
		coordinat\$3))) and 382/209.ccls.	DERWENT; IBM_TDB	

-	699	(((cursor or mouse or stylus) near6 (click\$ or point\$3 or indicat\$3)) with ((correct\$3 or adjust\$3 or chang\$3 or alter\$3 or shift\$3 or allocat\$3 or	USPAT; US-PGPUB;	2003/04/06 16:29
		reallocat\$3 or modif\$7) near5 (position or location or point or spot or coordinat\$3))) and 345/\$.ccls.	EPO; DERWENT; IBM_TDB	
-	14236	(correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 (cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location) near7 image	USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:39
-	6471	((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:46
-	626	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) same ((template or reference) near4 (image))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:44
-	36	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or point\$3 or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and 382/209.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:44
-	492	((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2003/04/06 16:48
-	0	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and 382/209.ccls.	USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:49
-	15	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and ((hit near2 detect\$3) or (hot near2 (spot or area)))	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 16:51
-	51824	SUZUKI.in.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 17:03
-	129	SUZUKI-YASUHIRO.in.	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 17:06
-	3	SUZUKI-YASUHIRO.in. and (cursor)	IBM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 17:06
-	0	YASUHIRO-SUZUKI.in.	BM_TDB USPAT; US-PGPUB; EPO; DERWENT;	2003/04/06 17:06
			IBM_TDB	

F_	24	SUZUKI-YASUHIRO.in. and (hot spot)	USPAT;	2003/04/06 17:07
_	24	SOZOKI-TASOHIKO.III. alid (liot spot)	US-PGPUB;	2003/04/00 17.07
			EPO;	
			DERWENT;	
			IBM_TDB	2002/04/06 15 05
-	0	SUZUKI-YASUHIRO.in. and ("hot spot")	USPAT; US-PGPUB;	2003/04/06 17:07
			EPO;	
			DERWENT;	
			IBM_TDB	
-	13	(((correct\$3 or calculat\$3 or determin\$3 or adjust\$3 or modif\$7 or	USPAT;	2003/04/06 17:08
		allocat\$3 or detect\$3) near7 ((cursor or click or mouse) near4 (position or spot or coordinat\$3 or point or location))) near7 image) and ("hot	US-PGPUB; EPO;	
		spot" or "hit detection")	DERWENT;	
		, spec (2 m. 2000)	IBM_TDB	
-	56	(("hot spot" or "hit detction") near4 (image)) with (cursor or mouse or	USPAT;	2003/04/06 17:15
		point\$3 or stylus)	US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
_	13	("5479526"   "5642131"   "5757358"   "5844557"   "5917486"	USPAT	2003/04/06 17:23
		"5986639"   "5990862"   "6014127"   "6034689"   "6049325"		
		"6057827"   "6075537"   "6078935").PN.		
-	9	("4601003"   "5202671"   "5317680"   "5347628"   "5349658"	USPAT	2003/04/07 10:28
_	2	"5394521"   "5442736"   "5463728"   "5737553").PN.   5844557.pn.	USPAT;	2003/04/07 14:43
		3044337.pii.	US-PGPUB;	2003/04/07 14.43
			EPO;	
			DERWENT;	
	_	(#4601002#   #5202671#   #5217690#   #5247629#   #5240659#	IBM_TDB	2002/04/07 14:42
_	9	("4601003"   "5202671"   "5317680"   "5347628"   "5349658"     "5394521"   "5442736"   "5463728"   "5737553").PN.	USPAT	2003/04/07 14:43
_	303	((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4	USPAT;	2003/04/07 14:53
		(position or location or spot\$3 or point\$3))) with image	US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
_	0	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4	USPAT;	2003/04/07 14:56
		(position or location or spot\$3 or point\$3))) with image) same	US-PGPUB;	
		(template)	EPO;	
			DERWENT;	
_	128	(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4	IBM_TDB USPAT;	2003/04/07 15:40
	120	((confects) of adjusts) of mounts) of acternmes) near ((cursor) near (cursor) near (cu	US-PGPUB;	2003/04/07/13:40
		1	EPO;	
			DERWENT;	
		(#4608625#   #4002012#   #5174595#   #52277620#   #5242220#	IBM_TDB	2002/04/07 15:25
-	8	("4698625"   "4903012"   "5164585"   "5227622"   "5243332"     "5294792"   "5502514"   "5528263").PN.	USPAT	2003/04/07 15:35
_	234	382/313.ccls.	USPAT;	2003/04/07 15:41
			US-PGPUB;	
			EPO;	
			DERWENT;	
_	2	(((correct\$3 or adjust\$3 or modif\$7 or determin\$2) near7 ((over)4	IBM_TDB USPAT;	2003/04/07 15:41
_		(((correct\$3 or adjust\$3 or modif\$7 or determin\$3) near7 ((cursor) near4 (position or location or spot\$3 or point\$3))) with image) and	USPA1, US-PGPUB;	2003/04/07 13:41
		382/313.ccls.	EPO;	
			DERWENT,	
			IBM_TDB	

-	3	382/313.ccls. and (correct\$3 near7 ((point\$3 or cursor) near4 (location or position or spot or coordinat\$3)))	USPAT; US-PGPUB;	2003/04/07 15:48
			EPO;	
			DERWENT; IBM_TDB	
-	5	382/313.ccls. and ((correct\$3 or shift\$3 or adjust\$3 or reallocat\$3 or	USPAT;	2003/04/07 15:50
		modify\$3) near7 ((point\$3 or cursor) near4 (location or position or spot	US-PGPUB;	
		or coordinat\$3)))	EPO;	
		·	DERWENT; IBM_TDB	
_	19	(calculat\$3 or determin\$3 or obtain\$3 or comput\$3 or estimat\$3 or	USPAT;	2003/04/07 15:57
		evaluat\$3) with ((("hot spot" or hotspot) and (cursor or pointing or	US-PGPUB,	
		mouse)) near6 (position or location or coordinat\$3 or distance))	EPO; DERWENT;	
			IBM_TDB	
-	6	("4586035"   "4984152"   "5146211"   "5146212"   "5179656"	USPAT	2003/04/07 15:59
		"5298890").PN.		
_	6 13	5657050.URPN.   ("5119079"   "5177328"   "5386219"   "5452414"   "5510813"	USPAT USPAT	2003/04/07 16:00 2003/04/07 18:07
	13	(3119079   3177328   3380219   3432414   3310613     "5642490"   "5761681"   "5777605"   "5821930"   "5825352"	USFAI	2003/04/07 16.07
		"5854988"   "6040824"   "6211856").PN.		
-	13924	(correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse or point\$3)	USPAT;	2003/04/08 15:10
		near5 (location or position or coordinat\$3))	US-PGPUB; EPO;	
			DERWENT;	
		//	IBM_TDB	
-	48	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse or point\$3) near5 (location or position or coordinat\$3))) same (template)	USPAT; US-PGPUB;	2003/04/08 15:14
		hears (recarron or position or coordinates))) same (template)	EPO;	
			DERWENT;	
	1012	(correct\$2 or edirect\$2 or releast\$2) man \$2 ((correct or manage) =	IBM_TDB	2002/04/09 15:10
-	1012	(correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5 (location or position or coordinat\$3))	USPAT; US-PGPUB;	2003/04/08 15:10
		,	EPO,	
			DERWENT;	
_	2	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5	IBM_TDB USPAT;	2003/04/08 15:14
		(location or position or coordinat\$3))) same (template)	US-PGPUB;	
			EPO;	
			DERWENT; IBM_TDB	
_	373	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5	USPAT;	2003/04/08 15:24
		(location or position or coordinat\$3))) and 345/\$.ccls.	US-PGPUB;	
			EPO; DERWENT;	
		·	IBM_TDB	
-	4	((000000 01 1110000) 110000	USPAT;	2003/04/08 15:16
		(location or position or coordinat\$3))) same ("hot spot" or hotspot)	US-PGPUB; EPO;	
			DERWENT;	
			IBM_TDB	
-	122	((correct\$3 or adjust\$3 or relocat\$3) near8 ((cursor or mouse) near5	USPAT;	2003/04/08 15:29
		(location or position or coordinat\$3))) with image	US-PGPUB; EPO;	
			DERWENT;	
			IBM_TDB	
-	4894	(cursor or point\$3 or click or mouse) near3 (position\$3 or location or coordinat\$3) near5 (correct\$3 or reposition\$3 or re-position\$3 or	USPAT; US-PGPUB;	2003/04/17 19:49
		relocation\$3 or re-location\$3)	EPO;	
		,	DERWENT;	
L	<u></u>		IBM_TDB	